

# Power and Control

All about our power system and control.

- [Resources](#)
- [Batteries](#)
- [PCB Iterations](#)

# Resources

Research Paper for Hydrofoils

# Batteries

Battery 1

Capacity:  $71,688\text{mah} + 17,457\text{mah} + 14,206\text{mah} = 103,351\text{mah}$

Battery 2

Capacity:  $90,007\text{mah} + 12,816\text{mah} = 102,823\text{mah}$

Battery 3

Battery 4

# PCB Iterations

## V0.1 (Breadboard)

Pre-PCB design that often was multiple parts of the system that would eventually become one.

### Pros

- Easy to add/change components for testing

### Cons

- Unreliable connections

### Components

- [ESP32-WROOM-32U](#)
- [FLIPSKY 75100 VESC](#)
- [Stepper motor driver DM542T](#)
- [SparkFun Logic Level Converter - Bi-Directional](#)

V0.1 (Breadboard)

## V1

Version one was created by Brandon Marcellus & Juan Silva early on in the start of the project after we had started some of the basic wiring of control and data collection.


### Pros

- Organization greatly improved
- Power distribution
- 

### Cons

- Logic level shifter was not wired correctly
- Not enough IO ports were available for use
- SD Card module VCC pin was connected to 3.3V instead of 5V

V1



V 1.1 (Breadboard)

V2